



WIŚNIEWSKI

BROUGHT TO YOU BY



JDUK
Door Systems

Side Hinged Brochure





GENERAL OVERVIEW	3-5
DOORPRO SIDE HINGED DOORS	6-7
DOOR OPTIONS DESIGNS - TEXTURES	8-9
WINDOW & DECOR OPTIONS	10-11
COLOUR OPTIONS	12-15
FOILED FINISHES	16-19
HOME INCLUSIVE OPTIONS	20-21
TECHNICAL INFORMATION	23-24

Welcome to the **Wisniowski** insulated side hinged **DoorPro** range,
brought to you by **JDUK Door Systems**



DoorPro Insulated Side Hinged - Single or Double Leaf.

Insulated side hinged doors offer the possibility to adapt perfectly to the rest of your home. Thanks to the use of panel designs L ribbed, M ribbed and Georgian, They can also be perfectly adapted to match a sectional garage door. A wide range of colors and laminates, as well as decorative applications and glazing, offer endless possibilities. Single leaf pass doors are the ideal solution in residential construction, as a side entrance or as a door to the garage.



Thanks to advanced technologies, proven materials and our own innovative technical thinking, we give our customers the certainty of a good choice. We have an integrated Management System, certified on the basis of the quality standard ISO 9001: 2008 and Occupational Health and Safety OHSAS 18001:2007. This is striving for continuous improvement of processes and products. Our experience is a guarantee of stability and responsibility for the product throughout its entire life cycle. It is also a promise of the highest quality and user safety.

Innovative Technical Thinking



DoorPro 45



DoorPro 60



DoorPro 70



DoorTherm 86

DoorPro 45

- Single or double leaf version available
- Door chassis and door frame are 45mm aluminium profiles with a 1 chamber system
- Non-thermal break
- Vertical panel placement available
- Door leaf panel is the same structure of UniPro sectional door panel.
- The inside of the door panel structure is finished in RAL9002
- Opening direction inwards or outwards, left or right
- Rebated seal along the entire perimeter of the door leaf and frame

DoorPro 60 & 70 & DoorTherm 86

- Single or double leaf version available
- DoorPro 60 door chassis and door frame are 60mm aluminium profiles with 3 chamber system
- With thermal break
- DoorPro 70 door chassis and door frame are 70mm aluminium profiles with a 3 chamber system
- 40mm insulated door panel with CFC-free polyurethane foam, DoorPro 60 & 70.
- Vertical panel placement available
- Horizontal & vertical glazing available
- 60mm insulated panel with CFC-free polyurethane foam, DoorTherm 86
- Side and top lights available
- Vertical panel placement is available

Functionality That Lasts



DoorPro 45

- Symmetrical and Asymmetrical distribution available
- Stainless steel handle supplied as standard
- 3 Point locking supplied as standard
- Anti burglary bolts supplied as standard
- Glazing option available, please see page 10
- Decorative motifs available please see page 11
- 34 Standard RAL to choose from
- 41 foiled finishes available
- Exclusive - Home Inclusive colour range



DoorPro 60, 70 & DoorTherm 86

- Symmetrical and Asymmetrical distribution available
- Stainless steel handle as standard
- 5 Point locking as standard
- DoorPro 70 - RC3 lock cylinder optional upgrade
- DoorPro 60 - RC2 lock cylinder optional upgrade
- Glazing options available, please see page 10
- Decorative motifs available please see page 11
- 34 Standard RAL available
- 41 foiled finishes available
- Exclusive - Home Inclusive colour range

Standard Hardware



DoorPro 45 - Hinges



DoorPro 60 - Hinges



DoorPro 70 - Hinges



DoorTherm 86 - Hinges




Jupiter Handle Supplied As Standard With All Doors




Aluminium Sill As Standard With DoorPro 60 & 70



Sill Supplied As Standard With DoorPro 45



DoorPro 60 - RC2 Lock Optional Upgrade



Anti-Burglary Bolts Supplied As Standard



3 Point Locking Standard DoorPro 45,60 & 70



Door Closer Optional Upgrade



Door Stopper Optional Upgrade

Panel Designs



V Line Double or Single Leaf



S Ribbed Double or Single Leaf



M Ribbed Double or Single Leaf



L Ribbed Double or Single Leaf



Georgian Double or Single Leaf



Glazing Options



DoorPro 60, 70 & DoorTherm 86



DoorPro 60,70 & DoorTherm 86



DoorPro 45, 60 & 70



DoorPro 60,70 & DoorTherm 86



DoorPro 60,70 & DoorTherm 86



DoorPro 60,70 & DoorTherm 86

Framed Window Options available for DoorPro 45, 60 & 70



Type A-1



Type C-1



Type E-1



Type O



Type R1-A



Type O2-A

Decorative Motifs



L Ribbed With Decor Type AP-1



L Ribbed With Decor Type AP-2



L Ribbed With Decor Type AP-3




L Ribbed With Decor Type AP-4



L Ribbed With Decor Type AP-5



L Ribbed With Decor Type AP-6



Type AP-1 330x60mm



Type AP-2 260mm



Type AP-3 220x220mm



Type AP-4 330x220mm



Type AP-5 220x220mm




Type AP-6 220x220mm


Panel Textures




Woodgrain



Smoothgrain



Silkline



V Line - Silkline



Sandgrain



	V Line	S ribbed	M ribbed	L ribbed	Georgian
Woodgrain	—	RAL9016, Standard RAL, Special RAL	RAL9016, Standard RAL, Special RAL	RAL9016, Standard RAL, Special RAL	RAL9016, Standard RAL, Special RAL
Smoothgrain	—	—	41 film coatings	41 film coatings	—
Sandgrain	—	—	Anthracite	Anthracite	—
Silkline	RAL9016, Standard RAL & Special RAL	RAL9016, Standard RAL & Special RAL	RAL9016, Standard RAL & Special RAL	RAL9016, Standard RAL & Special RAL	—
Home Inclusive 2.0	—	16 colors	16 colors	16 colors	—

An Abundance of Colours

Colour is the first feature our senses react to. We made sure that each of our customers can find the colour they are looking for. Our garage doors can be manufactured in RAL palette colours and in wood effect finishes. Together with our range of structures and extra decorative elements, this gives you hundreds of options for a totally bespoke design.



Standard RAL and special RAL colours available
Wide selection of wood effect and coloured foils available pages 16-19
Exclusive - Home Inclusive 2.0 available pages 20-21

Colour Options

One of the largest palettes of standard RAL colours available. Special RAL are also available.

TRAFFIC WHITE RAL 9016	PURE WHITE RAL 9010	CREAM RAL 9001	LIGHT IVORY RAL 1015	WHITE ALUMINIUM RAL 9006	GREY ALUMINIUM RAL 9007
FIR GREEN RAL 6009	MOSS GREEN RAL 6005	PALE GREEN RAL 6021	STEEL BLUE RAL 5011	GENTIAN BLUE RAL 5010	PIGEON BLUE RAL 5014
BURGUNDY RAL 3004	RUBY RED RAL 3003	FLAME RED RAL 3000	SEPIA BROWN RAL 8014	TERRA BROWN RAL 8028	NUT BROWN RAL 8011
LIGHT GREY RAL 7035	PEBBLE GREY RAL 7032	AGATE GREY RAL 7038	SILVER GREY RAL 7001	WINDOW GREY RAL 7040	STONE GREY RAL 7030
QUARTZ GREY RAL 7039	MOUSE GREY RAL 7005	BASALT GREY RAL 7012	SLATE GREY RAL 7015	GRAPHITE GREY RAL 7024	GRANITE GREY RAL 7026
ANTHRACITE GREY RAL 7016	SIGNAL BLACK RAL 9004	JET BLACK RAL 9005	GRAPHITE BLACK RAL 9011		

COLOURS ARE FOR REFERENCE PURPOSES ONLY
PLEASE REQUEST A SAMPLE

	Irish Oak Smoothgrain Golden Oak Smoothgrain Walnut Smoothgrain Anthracite Grey 701605167 Smoothgrain Cream White 137905-167 Smoothgrain Dark Green 612505-167 Smoothgrain Metbrush Silver F436-1002 Smoothgrain Silbergrau 116700 Smoothgrain White 915205-168 Smoothgrain Chocolate Brown 887505-1167 Smoothgrain Anthracite Quartz 436-1014 Smoothgrain Anteak 3241002-195 Smoothgrain Dark Oak 2052089-167 Smoothgrain											
L RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
S RIBBED												
MICROWAVE												
GEORGIAN												

Swamp Oak 3167004-167 Smoothgrain	✓	✓
Summer Cherry 3214009-195 Smoothgrain	✓	✓
Macore 3162002-167 Smoothgrain	✓	✓
Oregon 1192001-167 Smoothgrain	✓	✓
Sapeli 2065021-167 Smoothgrain	✓	✓
Siena Noce 49237 PN Smoothgrain	✓	✓
Siena PL 49254-015 Smoothgrain	✓	✓
Siena Rosso 49233 PR Smoothgrain	✓	✓
Winchester 49240 XA Smoothgrain	✓	✓
Black Cherry 3202001-167 Smoothgrain	✓	✓
Natural Oak 3118076-1168 Smoothgrain	✓	✓
Douglas Fir 3152009-1167 Smoothgrain	✓	✓
Rustic Oak 3149008-167 Smoothgrain	✓	✓
Sheffield Oak Brown F 436-3087 Smoothgrain	✓	✓

	Sheffield Oak Light F 456-3081 Smoothgrain Sheffield oak grey F 436-3086 Smoothgrain Brusch schwarzbraun F436-1023 smoothgrain Earl platin 119500 smoothgrain Black ultra-mat PX47097 smoothgrain Woodec Turner Oak Malt F4703001 smoothgrain Woodec Sheffield Oak Alpine F4703002 smoothgrain Woodec Sheffield Oak Concrete F4703003 smoothgrain Umbragrau F436-60657 smoothgrain Fenstergrau F436-6066 smoothgrain Cremeweiss F456-6001 smoothgrain Anthrazitgrau F436-6003 smoothgrain										
L RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
S RIBBED											
MICROWAVE											
GEORGIAN											

Dark grey silk 4367003 smoothgrain	
Golden Oak 2178001-167 smoothgrain	
Walnut 2178007-167 smoothgrain	
Anthracite Quartz Mat F4701014 smoothgrain	
Woodec Turner Oak Toffe F4703004 smoothgrain	
Modern White (Painted finish based on RAL 9010) silklane	
Modern White (Painted finish based on RAL 9010) woodgrain	
Modern Black (Painted finish based on RAL9005) silklane	
Modern Black (Painted finish based on RAL 9005) woodgrain	





	HI EARTH				HI STONE				HI STEEL			
L RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
S RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MICROWAVE												
GEORGIAN												



HI MOODY CORAL

HI FLAME RED

HI MODERN MAROON

HI DEEP BROWN

HI RUBY

✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓

NEW
COLOURS
HOME
INCLUSIVE^{2.0}


THE HOME INCLUSIVE 2.0 COLOUR COLLECTION
Add exceptional character to your property thanks to the unique depth effect of HI 2.0 colours. Perfect for when you require a perfect colour match for your sectional door, insulated side hinged door and front entrance door.




Technical Information

DoorPro 45, Profile Dimensions

Vertical door position, cross section image of the DoorPro 45 door without a thermal break (door infill 40mm steel panel)




Horizontal door position, cross section image of the DoorPro 45 door without a thermal break




DoorPro 60, Profile Dimensions

Vertical door position, cross section image of the DoorPro60 door with a thermal break (door infill 40mm steel panel)




Horizontal door position, cross section image of the DoorPro 60 door with a thermal break




Technical Information

Vertical door position, cross section image of the DoorPro 70 with a thermal break (door infill 40mm steel panel)




DoorPro 70, Profile Dimensions

Horizontal door position, cross section image of the DoorPro 70 door with a thermal break



DoorTherm 86 Profile Dimensions

Vertical door position, cross section image of the DoorTherm 86 door with a thermal break (door infill 60mm steel panel)



Horizontal door position, cross section image of the DoorTherm 86 door with a thermal break

